

**Have you done work to make your property more Firesafe?
Send me your data!**

Submit this form by October 1, 2021 by mailing to:
GCHNA, PO Box 1343, Nevada City, CA 95959

**Firesafe Mitigation Form
Household Fire Risk Contributions for GCHNA, 2021**

Home Ignition Zone

House - 0 To 5 Feet From Foundation (hours invested on projects) Risk reduction roof to foundation. Examples:

- Clean litter from roof and gutters
- Screen vents, enclose soffits and eaves
- Clean and clear under decks (flammables and vegetation)
- Fire resistant roofing, siding or decking
- Replace mulch with gravel and stone
- Remove pine needles and leaves
- Trim back trees that hang over 5 foot areas near foundation.
- Move firewood 30 feet from house and cover with a Firesafe tarp

Hours _____ # of people _____ Materials \$ _____

Intermediate Zone

5 – 30 Feet From House

- Clear vegetation from under large stationary propane tanks
- Create fuel breaks with driveways, walkways/paths, patios, dry creeks
- Space trees with an 18' separation between tree canopies
- Reduce all ladder fuels, prune shorter trees up to 1/3 of overall tree height
- Thin and limb up all trees reducing distance to minimum of 18' between the crowns
- Cluster trees and shrubs to break up the continuity of vegetation to discourage fire flow
- Tree canopy no closer than ten feet to the edge of structure

Hours _____ # of people _____ Materials \$ _____

Extended Zone

Extended Zone 30 – 100 Feet From House

- Remove all needles within 30 feet of house
- Thin trees and ladder fuels, small conifers growing between mature trees
- Remove vegetation adjacent to storage sheds
- Trees 30 - 60 feet from home should have 12 feet between canopy tops

Hours _____ # of people _____ Materials \$ _____

Money Spent

- Chipper rental, fuel, disposal fees _____
- Green waste removal fees, number of runs _____
- Power equipment, hand tools, chainsaws (*rental or purchase*) _____
- Arborists, landscapers, forestry service _____
- Construction (*re-siding, re-roofing*) _____

Total \$ _____

